RadChem 2022



Contribution ID: 895

Type: Verbal

Designing metal oxide-based stationary phases for the separation of Ac-225 and Bi-213 for biomedical applications

Thursday, 19 May 2022 16:40 (20 minutes)

Cancer is a disease that still kills nearly 10 million people every year [1] despite the countless existing treatments. The amount of novel therapies is growing every day and targeted alpha therapy is one of them. Herein, the patient is treated with a radiopharmaceutical that binds to the cancer cell and emits ionizing radiation to induce cell damage. Since alpha radiation has a very short range (only a few cell diameters), the healthy cells around the tumor are spared. Amongst a number of radioactive isotopes that can be used for this purpose, Bi-213 is a promising candidate because of its suitable half-life and well-known chelation chemistry. Clinical trials with this isotope have already been performed in the past and results are very promising [2]. The biggest hurdle, however, is the Bi-213 production, which is now far from sufficient to implement this isotope in targeted alpha therapy on a large scale.

The most commonly used generator for the separation of Ac-225 and Bi-213 is based on AG MP-50. This is a macroporous strong acid cation exchange resin composed of sulphonic acid groups attached to a styrene divinylbenzene copolymer backbone. The AG MP-50 generator has a high yield (>76% Bi-213), a very low breakthrough of Ac-225 (<2*10-5 %) and the Bi-213 elution is very fast (2-3 min). Despite these great advantages, the main disadvantage is its low radiation stability. The organic backbone and especially the link with the functional group is very susceptible to radiation damage, such that in normal operation conditions the performance of the generator will substantially decrease [3].

On the other hand, inorganic materials are known to be more resistant against radiation. Therefore, this contribution presents the study of surface modified inorganic materials and their performance towards Ac-225/Bi-213 separation. The materials under investigation are titania and zirconia, which are modified with phosphoric acid groups. Different analytical techniques such as zeta potential and ICP-MS are utilized to characterize the surface modification of the inorganic materials. Furthermore, the modified materials are subjected to a so-called 'cold sorption'test. Via this method, sorption properties such as separation efficiency, leaching stability and sorption capacity are evaluated by means of non-radioactive solutions of La and Bi. Ultimately, the actual Ac-225/Bi-213 sorption properties of the phosphoric acid-modified materials will be tested in a radiochemical laboratory.

The final goal of this research is to develop an improved direct Ac-225/Bi-213 generator material with high radiation stability and increased Bi-213 yield and purity to make targeted alpha therapy more available and to give cancer patients new hope for a better future.

Bibliography

[1] World Health Organization, Cancer. https://www.who.int/news-room/fact-sheets/detail/cancer (accessed Jan 17, 2022).

[2] Kratochwil, C.; Giesel, F. L.; Bruchertseifer, F.; Mier, W.; Apostolidis, C.; Boll, R.; Murphy, K.; Haberkorn, U.; Morgenstern, A. 213Bi-DOTATOC Receptor-Targeted Alpha-Radionuclide Therapy Induces Remission in Neuroendocrine Tumours Refractory to Beta Radiation: A First-in-Human Experience. European Journal of Nuclear Medicine and Molecular Imaging 2014, 41 (11), 2106–2119.

[3] Vasiliev, A. N.; Zobnin, V. A.; Pavlov, Y. S.; Chudakov, V. M. Radiation Stability of Sorbents in Medical 225Ac/213Bi Generators. Solvent Extraction and Ion Exchange 2021, 39 (4), 353–372.

Primary authors: Ms LENAERTS, Hilde (University of Antwerp, Department of Chemistry, Laboratory of Adsorption and Catalysis (LADCA), Universiteitsplein 1, 2610 Wilrijk, Belgium; Flemish Institute for Technological Research (VITO NV), Boeretang 200, 2400 Mol, Belgium; Belgian Nuclear Research Centre (SCK CEN), Institute for Materials Science, Boeretang 200, 2400 Mol, Belgium); Dr HEINITZ, Stephan (Belgian Nuclear Research Centre (SCK CEN), Institute for Materials Science, Boeretang 200, 2400 Mol, Belgium); Dr HEINITZ, Stephan (Belgian Nuclear Research Centre (SCK CEN), Institute for Materials Science, Boeretang 200, 2400 Mol, Belgium); Prof. MULLENS, Steven (Flemish Institute for Technological Research (VITO NV), Boeretang 200, 2400 Mol, Belgium); Prof. MEYNEN, Vera (University of Antwerp, Department of Chemistry, Laboratory of Adsorption and Catalysis (LADCA), Universiteitsplein 1, 2610 Wilrijk, Belgium; Flemish Institute for Technological Research (VITO NV), Boeretang 200, 2400 Mol, Belgium); Prof. CARDINAELS, Thomas (Belgian Nuclear Research Centre (SCK CEN), Institute for Materials Science, Boeretang 200, 2400 Mol, Belgium); Prof. CARDINAELS, Thomas (Belgian Nuclear Research Centre (SCK CEN), Institute for Materials Science, Boeretang 200, 2400 Mol, Belgium; KU Leuven, Department of Chemistry, Celestijnenlaan 200F, P.O. Box 2404, 3001 Leuven, Belgium)

Presenter: Ms LENAERTS, Hilde (University of Antwerp, Department of Chemistry, Laboratory of Adsorption and Catalysis (LADCA), Universiteitsplein 1, 2610 Wilrijk, Belgium; Flemish Institute for Technological Research (VITO NV), Boeretang 200, 2400 Mol, Belgium; Belgian Nuclear Research Centre (SCK CEN), Institute for Materials Science, Boeretang 200, 2400 Mol, Belgium)

Session Classification: Radionuclides Production & Application

Track Classification: Production and Application of Radionuclides